SOCIAL DETERMINANTS OF HEALTH SCREENING AND MITIGATION STRATEGIES: A CYSTIC FIBROSIS QUALITY IMPROVEMENT PROCESS

Deirdre Jennings¹, Rhonda List², Heather Bruschwein², Martina Compton², Lindsay Somerville², Lauren Williamson², Rachel Murray², Brielle Evangelista², and Dana Albon³

¹University of Virginia Health System

²University of Virginia

³UVA


March 20, 2022

Abstract


Introduction: Lower socioeconomic status is associated with significantly poorer outcomes in weight, lung function, and pulmonary exacerbation rates in People with CF (PwCF). Global aim: We aim to reduce health disparities and inequities faced by PwCF by screening for and addressing unmet social needs. Specific aims: We aimed to increase routine Social Determinants of Health (SDoH) screening of eligible PwCF from 0% to 95% and follow-up within two weeks for those PwCF who screened positive and requested assistance from 0% to 95% by December 31, 2021. Methods: The Model for Improvement methodology was employed. A process map and a simplified failure mode effects analysis chart were created for the screening and SDoH follow-up process. Those who screened positive for SDoH and requested assistance, a follow-up contact was made to offer intervention. Intervention: Adult PwCF who had at least one UVA Clinic encounter in 2021 were screened for SDoH. The SDoH screening tool included eight domains: housing, food, transportation, utilities, health-care access, medication access, income/employment and education. Follow-up was completed with all PwCF who screened positive for SDoH. Results: A total of 132 of 142, (93.0%) PwCF eligible for screening completed the SDoH screening. Of the PwCF who completed screening, 56 (42.4%) screened positive for SDoH. A follow-up rate of 100% was achieved in June 2021 and maintained through December 2021. Conclusion: Implementing screening for SDOH and follow-up to mitigate social difficulties in adult PwCF at UVA was successful and could be reproduced at other CF care center.

Hosted file

SDoH Screening and Mitigation Strategies a CF QI Process.docx available at https://authorea.com/users/466257/articles/560594-social-determinants-of-health-screening-and-mitigation-strategies-a-cystic-fibrosis-quality-improvement-process



SDoH Screening and Intervention Simplified Failure Mode Effects Analysis (sFMEA©)




James M. Anderson Center for Health Systems Excellence 2017 © Cincinnati Children's Hospital Medical Center. All rights reserved.

Screening Process Testing 60.0% 57.0% 57.0% Percentage of Patients Who Completed Screening 52.6% 49.6% 50.0% 44.4% 40.0% Began screening Sent online during clinic survey visits 30.0% 25.9% 25.9% reminder 20.0% Sent online survey link 10.0% 0.0% Week 1 Week 2 Week 3 Week 4 Week 5 Week 6 Week 7 Week 8 Week 9 Week 10 Week 11

Rapid Testing to Improve Follow-Up Rate within Two Weeks

Testing Week



Hosted file

Hosted file