

# Neonatal volvulus of the small bowel around a total persistent omphalomesenteric canal: an exceptional finding.

Taycir Cheikhrouhou<sup>1</sup>, Ben Dhaou Mahdi<sup>2</sup>, chtourou rahma<sup>3</sup>, Regaieg Chiraz<sup>1</sup>, Manar Hbaieb<sup>1</sup>, Afef Ben Thabet<sup>1</sup>, zouari Mohamed<sup>2</sup>, nedia Hentati<sup>4</sup>, and Riadh Mhiri<sup>1</sup>

<sup>1</sup>Hedi Chaker Hospital

<sup>2</sup>Department of pediatric surgery, Hedi chaker Hospital, University of Sfax, Sfax, Tunisia

<sup>3</sup>Ministry of Public Health

<sup>4</sup>Hôpital Hédi Chaker

December 8, 2022

## Abstract

Total persistent omphalomesenteric canal as a cause of small-bowel obstruction is an exceptional finding. A neonate presented with occlusion due to volvulus of the small bowel around a total persistent omphalomesenteric canal. Remnants of the duct were successfully resected and the postoperative course was uneventful.

## Hosted file

main document.docx available at <https://authorea.com/users/564344/articles/611233-neonatal-volvulus-of-the-small-bowel-around-a-total-persistent-omphalomesenteric-canal-an-exceptional-finding>







