

TABLE 1. TUR_B PATHOLOGIES (T STAGE AND GRADE) OF THE PATIENTS AND RE_TUR PATHOLOGIES ACCORDING TO INDEX TUR-B

| TUR_B pathology | n (%) | Re_TUR pathology | n (%) |
|-----------------|-------------|------------------|-------------|
| Ta_Low | 6 (7,7 %) | T0 | 6 (100 %) |
| | | Ta Low | 0 |
| | | Ta High | 0 |
| | | T1 Low | 0 |
| | | T1 High | 0 |
| | | T2 | 0 |
| Ta_High | 5 (6,4 %) | T0 | 2 (40 %) |
| | | Ta Low | 1 (20 %) |
| | | Ta High | 0 |
| | | T1 Low | 0 |
| | | T1 High | 1 (20 %) |
| | | T2 | 1 (20 %) |
| T1_Low | 14 (17,9%) | T0 | 8 (57,1 %) |
| | | Ta Low | 3 (21,4 %) |
| | | Ta High | 0 |
| | | T1 Low | 2 (14,3 %) |
| | | T1 High | 1 (7,1 %) |
| | | T2 | 0 |
| T1_High | 53 (67,9 %) | T0 | 22 (41,5 %) |
| | | Ta Low | 4 (7,5 %) |
| | | Ta High | 1 (1,9 %) |
| | | T1 Low | 2 (3,8 %) |
| | | T1 High | 16 (30,2 %) |
| | | T2 | 8 (15,1 %) |

*TUR-B: Transurethral resection of bladder

**Re-TUR: Re-transurethral resection