

TABLE 1. Means and SDs of MBI Dimensions and Percentage of Respondents with Burnout<sup>a,b</sup>

MBI Dimension	MDs (n=65)	APPs (n=66)	Inpatient Nurses (n=239)	Ambulatory Nurses (n=111)	<sup>a</sup> MB I
Emotional Exhaustion (Mean [SD])	1.82 (1.13)	2.10 (1.25)	1.84 (1.22)	1.87 (1.30)	
Depersonalization (Mean [SD])	0.60 (0.69)	0.77 (0.78)	0.76 (0.84)	0.76 (1.02)	
Reduced Personal Accomplishment Mean ([SD])	1.81 (0.76)	1.81 (0.56)	2.15 (0.79)*	1.96 (0.87)	
Burnout (%) <sup>b</sup>	34.0%	33.3%	33.2%	20.4%	

anchored responses: Never (0), A few times a year or less (1), Once a month or less (2), A few times a month (3), Once a week (4), A few times a week (5), Every day (6).

<sup>b</sup>Defined as scoring high on any of the 3 MBI dimensions.

\*Significantly higher rate of Reduced Personal Accomplishment for inpatient nurses compared to MDs & APPs, (p<.001).

Abbreviations: SD, Standard Deviation; MBI, Maslach Burnout Inventory; MDs, Physicians; APPs, Advanced Practice Providers.