

# **Seismology Perspectives on Integrated, Coordinated, Open, Networked (ICON) Science**

**Lei Li<sup>1,2</sup>, Wing Ching Jeremy Wong<sup>3,4</sup>, Benjamin Schwarz<sup>5</sup>, and Tsz Lam Lau<sup>3</sup>**

<sup>1</sup>Key Laboratory of Metallogenic Prediction of Nonferrous Metals and Geological Environment Monitoring, Ministry of Education, Central South University, Changsha, China

<sup>2</sup>School of Geosciences and Info-Physics, Central South University, Changsha, China

<sup>3</sup>The Chinese University of Hong Kong, Hong Kong, China

<sup>4</sup>Scripps Institution of Oceanography, University of California San Diego, California, USA

<sup>5</sup>GFZ German Research Centre for Geosciences, Potsdam, Germany

Corresponding author: Lei Li ([leileely@126.com](mailto:leileely@126.com))

## Key Points:

- We comment on the current status and potential for synergy and challenges of implementing ICON principles in seismology.
- The integration of multi-parametric and multi-scale observations across disciplines benefits Earth imaging and earthquake understanding.
- High-performance computing and open-source algorithms offer networked opportunities for a broader community to contribute to seismology.

## **Abstract**

Seismology focuses on the study of earthquakes and associated phenomena to characterize seismic sources and Earth structure, which both are of immediate relevance to society. This article is composed of two independent commentaries about the state of ICON principles ([Goldman et al., 2021](#)) in seismology and reflects the opportunities and challenges of adopting them. Each commentary focuses on a different topic: (Section 1) integration of multiscale and multidisciplinary observations; (Section 2) high-performance computing and open-source algorithms. In the past century, seismology has benefited from two co-existing technological advancements - the emergence of new, more capable sensory systems and affordable and distributed computing infrastructure. Integrating multiple observations is a crucial strategy to improve the understanding of earthquake hazards. However, current efforts in making big datasets available and manageable lack coherence, which makes it challenging to implement initiatives that span different communities. Building on ongoing advancements in computing, machine learning algorithms have been revolutionizing the way of seismic data processing and interpretation. A community-driven approach to code management offers open and networked opportunities for young scholars to learn and contribute to a more sustainable approach to seismology. Investing in new sensors, high-performance computing, and open-source algorithms following ICON principles will enable new discoveries across the Earth sciences.

## **Plain Language Summary**

Seismological observations can provide critical insights into the physical processes of the Earth's interior and associated near-surface consequences, resulting from both natural and anthropogenic activities across spatial and temporal scales. This commentary discusses the current status and opportunities of integrated, coordinated, open, and networked (ICON) principles in seismology. As an applied discipline, seismology is highly data-dependent and inherently relies on sensing (data acquisition) and computing (data processing and modeling) technologies. Integrating data from multiple scales and domains has improved our understanding of earthquakes and is also beneficial to adjacent disciplines, such as reservoir engineering and rock mechanics. When more open data and models are produced and integrated by coordinated acquisition systems and networked programming efforts, seismology will enable new

discoveries in the Earth sciences.

## **1 Introduction**

Seismology is an applied discipline and integrates techniques and data from physics, mathematics, informatics, mineralogy, and geology. Seismological studies involve various natural and anthropogenic activities across a wide range of spatial and temporal scales, including tectonic plate motions, volcano eruptions, hydrocarbon exploration, carbon sequestration, mining, landslides, and laboratory stimulation experiments (Stein & Wysession, 2003; Shearer, 2009). Seismological observations can provide critical insights into the physical processes of the Earth's interior and the associated near-surface consequences (Cloetingh & Negendank, 2010; NASEM, 2020). The multidisciplinary nature and multiscale observations of seismological studies embody integration, corresponding to the 'I' in ICON science. There are many seismological data centers (e.g., the International Federation of Digital Seismograph Networks at <https://www.fdsn.org/about/>) providing findable, accessible, interoperable, and reusable (FAIR) seismic data collected at local, regional to global scales, which generally comply to international and coordinated data format standards (e.g., SAC, MiniSEED, SEED, and SEG-Y). These FAIR data and consistent protocols and standards are coordinated efforts benefiting open exchange, therefore representative of the 'C' and 'O' in ICON science. Besides, there are numerous code packages and libraries openly accessible and extendable for seismological studies. This modern community-driven approach to programming, along with thriving high-performance computing and machine learning algorithms, is a networked ('N' in ICON science) effort which has been significantly promoting seismology and adjacent disciplines, such as reservoir engineering and rock mechanics.

## **2 Integration of multiscale and multidisciplinary observations**

Every breakthrough in seismology is always dependent on advancements in sensing and/or computing technology. The science of seismology was born around the 1880s,

along with the invention of time-recording seismographs (W. H. K. Lee et al., 2002). The upgrade of seismic instrumentation (e.g., broad-band seismographs) since the 1930s and the advent of plate tectonics and modern computers in the 1960s enable seismologists to exploit the rich information encoded in the seismograms, determine Earth's fine-scale internal structure, and quantify the diverse spectrum of fault slip behaviors (e.g., Peng and Gomberg, 2010). The past few decades have witnessed the arrival of large and dense arrays at regional/national scales (e.g., USArray, HiNet, and ChinArray) and ocean-bottom seismometers, advancing array-based analysis techniques and yielding more detailed reconstructions of seismic sources and Earth's internal structure (Rost & Thomas, 2002; Karplus & Schamndt, 2018; Cai et al., 2018; L. Li et al., 2020). More recently, rotational seismographs and fiber optic sensing technology have been pushing seismology and other related disciplines a giant step forward. Traditionally, seismology has been dealing with pure translational motions of the ground, whereas rotational motions - predicted by the theory of elasticity - could not be captured by conventional seismic sensors. Only recently, Earth's rotational seismic field has been captured through the integrated analysis of dense station networks or newly developed rotational sensors (e.g., Lee et al., 2009). Distributed acoustic sensing (DAS) or fiber-optic seismology, as an exciting example of interdisciplinary intersection which can also benefit the theory and technology of fiber-optic sensing, alleviates seismological observation bias by transforming fiber optic cables into sensor arrays with meter-scale (and higher) resolution. Recent studies have demonstrated the reliability of fiber-optic cables, deployed under the ground or the seafloor, in delivering densely sampled strain or strain rate measurements of seismic wavefields to study cryosphere system, marine geophysics, geodesy, and volcanology (Lindsey & Martin, 2021; Zhan et al., 2021). First field applications already suggest that fiber-optic strain sensing will allow substantial improvements in resolution and sensitivity in critical regions while remaining uniquely cost-effective (e.g., Jousset et al., 2018). The combination of sensors for translation, rotation and DAS provide novel information about deformations caused by seismic disturbances. However, conventional data protocols and standards for translational motions may not apply to rotational and DAS observations, requiring additional efforts to achieve full integration ('I') and coordination ('C') of these measurements. Meanwhile, enhanced acoustic emission (AE) sensors (e.g., piezoelectric ceramic transducer (PZT)) and instruments

promote signal-based AE analysis, which enables in-depth analysis of slip mechanisms, rupture propagation, and expected damage under controlled conditions in the laboratory (Ishida et al., 2017; Wang et al., 2017; Brotherson, 2021).

Enhancing multiscale and multidisciplinary observations, and promoting the sharing and exchange of datasets under the ICON principles will benefit seismology and relevant disciplines, such as reservoir engineering and rock mechanics. In the past two decades, seismology shifted its focus towards (micro)earthquakes caused by human underground activity such as mining, shale gas exploitation, and geothermal energy production (Grigoli et al., 2017; Foulger et al., 2018; Schultz et al., 2020). Figure 1 illustrates how human activities can have an influence on the stress state of the Earth's crust and induce (micro)earthquakes. With advanced acquisition and processing techniques, induced microearthquakes can be used for fracture geometry delineation and reservoir geomechanical analysis, while larger-magnitude earthquakes are essential for earthquake hazard analysis (L. Li et al., 2019). Besides, laboratory experiments and numerical modeling can help characterize the thermal-fluid-solid coupling during fluid injection. Multiscale and multiphysics investigations combining elastic and electromagnetic wavefields, deformation, and temperature will facilitate reservoir characterization and underlying physical mechanism understanding, thereby aiding risk assessments and possible mitigation efforts. This integrated approach to confronting an important challenge in seismology is synonymous with integrated (I), coordinated (C), and networked (N) science. Though induced seismicity monitoring can benefit both reservoir monitoring and earthquake warning, the conflicting interests in industry may result in decreased transparency and open exchange. This will hinder the cooperation and mutual benefits between scientific and industrial communities, and more regulations and means of communication are still in demand to strengthen this important interface.




Figure 1. Induced seismicity monitoring associated with various industrial activities involving fluid injection. Induced (micro)earthquakes can not only aid reservoir characterization and guide subsurface operations but also provide crucial insight into how peoples' safety and the protection of local infrastructure can be ensured. On the one hand, spatial and temporal high-resolution sampling of seismic wavefields can be achieved by surface and downhole arrays, and DAS cables; on the other hand, the combination of multidisciplinary measurements, including seismic, electromagnetic, temperature, and ground deformation monitoring can also better constrain data processing and interpretation.

One of the most important and long-standing research questions in seismology remains: can we predict earthquakes more accurately (AAAS, 2021)? A potential and feasible strategy is integrating multiscale seismological and even multidisciplinary observations. Next, we elaborate on the current status and future needs of data integration in seismology. Acoustic emissions (AE) from laboratory earthquakes exhibit striking similarities to natural earthquakes. In laboratory experiments, scale-independent earthquake properties can be measured with a high spatial and temporal resolution that can hardly be met in the field. However, there exist only a few FAIR databases of local and smaller scale earthquakes. Seismic datasets for exploration purposes are barely open and freely shared due to commercial concerns or risks, and laboratory AE datasets are also not extensively and systematically managed. Although seismology has

experienced great progress during the past decades, the depth and breadth of intersection between seismology and adjacent disciplines (e.g., geophysics and geochemistry) are not yet sufficient. For earthquake seismology, scientists have attempted to interpret seismic signals based on structural geology and tectonics since the 1960s. Besides geological and physical properties of faults and rocks, more attention should be paid to lithological and mineralogical features to characterize the Earth's interior as a dynamic system. To obtain a predictive understanding of earthquake mechanisms, future multidisciplinary and networked (N) research should also integrate (I) fault/fracture complexities, mineralogical phase changes, and thermal-fluid-solid coupling into earthquake models. This again highlights the integral importance of the ICON principles in seismological research. At the exploration scale, active and passive seismic methods continue to receive the most attention in the geophysical community. Research and applications combining these two categories of seismic methodologies are thriving in recent years, largely due to the popularity of dense monitoring arrays. However, the in-depth integration of seismic and other geophysical approaches (e.g., electromagnetic measurements) is still rare. For indoor experiments, multiphysics observations, including mechanical, seismic, and optical measurements, are combined to uncover the dynamic process of earthquake nucleation and fracture propagation. In-situ laboratory scale experiments can help reveal the site effects of seismic responses and bridge the inherent scale gaps of seismological studies. How to better integrate multiscale observations and multidisciplinary (including geological, geophysical, geochemical) processes is a major challenge and task for an improved understanding of earthquake hazards.

### **3 High-performance computing and open-source algorithms**

Like in other fields, the rapid growth of computing infrastructure and the ever-increasing amount of data implies a shift towards big-data analysis techniques in seismology. This new brand of computational seismology heavily builds on numerical source and wavefield simulations and the (joint) inversion of massive datasets. It broadly covers the following aspects:

- Numerical simulations to model earthquake rupture dynamics and related hazards
- Data mining of the seismological recordings to extract useful information
- Data management and code development

Massive parallelism, Graphics Processing Unit (GPU) programming and cloud computing are enabling new integrated workflows that allow for extensive and realistic modeling of earthquake processes. In the past decades, it was only possible to construct simplified models and corresponding boundary conditions to elucidate distinctive mechanisms of seismic sources. Peta and exa-scale computing facilities allow a detailed description of the fault geometry, tsunami-earthquake coupled simulations, large scale numerical solutions of the wave equation for signals with high frequencies, and the realistic modeling of interactions with the surrounding medium (Igel, 2017). Besides, high-performance computing (HPC) is also crucial for hazard assessments and the rapid response to natural hazards, especially for earthquakes and tsunamis (Hori et al., 2018). Taking the 2018 Palu-Sulawesi earthquake-tsunami event as an example, a preliminary tsunami warning was cancelled soon after the earthquake report of a strike-slip event, leading to escalated damage by the surprising tsunami (Ulrich et al., 2019). A variety of initial studies have been proposed and shared on social media immediately, reporting on the confirmation of supershear earthquake rupture, complex fault geometries, and surface deformation from InSAR measurements (Lacassin et al., 2020). These scattered resources are crucial in effective rapid damage evaluation of the earthquakes and the unexpected tsunami by HPC technology, albeit being difficult to manage and coordinate. More efforts are needed to manage and share interoperable data ('C' and 'O'), and facilitate a networked (N) exchange and hazard response for the broader scientific community and the public sphere.

Apart from numerical modeling, observations are the primary requisites to extract hidden signals of different dynamics of the Earth. Enabled by the open availability and interoperability of large databases, recent advances in machine learning (ML) are paving the way towards automating critical yet often time-consuming tasks in seismology. Examples of successfully leveraging ML include the detection and picking of seismic arrivals (Perol, et al., 2018; Ross et al., 2018; Zhu & Beroza 2018; Mousavi

et al., 2020). Deep neural-network architectures originally developed for computer vision or speech recognition were able to reliably extract patterns and predict phase arrivals in seismic time-series data. Aside from mere pattern recognition, ML was shown to also lend itself well to a broad range of other tasks, including data augmentation, solving partial differential equations (PDEs), and computing synthetics using neural networks in an efficient way (Bergen et al., 2019; Morra et al., 2021). Combining array- and ML-based techniques, we are now witnessing a new era of Real-time Intelligent Array Seismology (RIAS) (Li et al., 2021). Fortunately, powerful ML libraries are open and easily accessible and are generally accompanied by detailed instructions or tutorials. This new era of machine learning application requires extensive knowledge that is not part of the traditional earth science or science education. The publicly available resources offer practical experience for students and researchers to join and facilitate the rapid advances of ML in seismology, which demonstrates the importance of networked efforts with mutual benefits for both seismology and the community. Therefore, it remains crucial to continue sharing traceable, reproducible, and open-source codes in concordance with the FAIR data policy (Wilkinson et al., 2016). Physics-informed neural networks are an emerging trend next to the data-driven ML approaches to further explore and interpret physical processes (Raissi et al., 2019). Efficient and automatic differentiation in ML can improve seismic waveform modeling and inversion. With additional physical constraints on ML algorithms, fewer training samples and computational efforts are required to obtain a more generalized inference than traditional methods can provide. Like in other branches of the natural sciences, a combination of physics-based methods and ML is expected to improve the reliability and explainability of results. The data-centric approach of ML will make the ICON-FAIR principles ever more important in computational seismology: more open datasets and models are required and will need to be integrated, which are ideally produced with coordinated acquisition systems and mutually beneficial (i.e., networked) programming efforts.

Advances in programming language and hardware design, mathematics and computer science require a flexible and best-practice approach to scientific software development. Code development in seismology often used to be restricted to isolated and specialized research groups. However, open-source code management platforms like GitHub or

GitLab, offer an opportunity for the seismological community as well as other interested individuals to develop and share codes on regular and/or on demand bases. This paradigm shift in program and code development from closed research groups to open community-driven and individual users provides equal opportunities to participate in collaborative seismological studies. These current trends in computational seismology are in accordance with the core ICON principles: the computational, mathematical, and physical sciences are integrated with seismology, open data and algorithms/software are generated with coordinated and networked efforts by a broader community. One of the renowned examples is the ObsPy - A Python Toolbox for Seismology/Seismological Observatories that provides a framework for basic processing of seismological data (Beyreuther et al., 2010). The community-driven ObsPy package has rapidly evolved with a large group of over 90 code contributors and numerous other commentators. The package has gained popularity within the seismological community with more than 50 seismological analysis packages built upon the ObsPy framework. Besides, the open and networked style of code management also facilitates education and training for young scholars, which in turn ensures the sustainable development of seismology. Following the ICON principles, a coordinated integration of multidisciplinary and multiscale measurements in conjunction with distributed HPC solutions and openly developed scientific software will improve the sustainability of seismology and enable new discoveries within Earth sciences and beyond.

## **Acknowledgements**

L.L. acted as a facilitator and point of contact with the special collection organizing team. We appreciate Dirk Gajewski and Zhigang Peng for reviewing and proofreading the manuscript. The work is sponsored by the National Natural Science Foundation of China (Grant No. 42004115), Hunan Provincial Natural Science Foundation of China (Grant No. 2019JJ50762).

## References

- AAAS (The American Association for the Advancement of Science). (2021). 125 questions: Exploration and discovery. Washington, DC: Science/AAAS Custom Publishing Office. Retrieved from <https://www.sciencemag.org/collections/125-questions-exploration-and-discovery>
- Bergen, K. J., Johnson, P. A., de Hoop, M. V., & Beroza, G. C. (2019). Machine learning for data-driven discovery in solid Earth geoscience. *Science*, 363(6433), eaau0323. <https://doi.org/10.1126/science.aau0323>
- Beyreuther, M., Barsch, R., Krischer, L., Megies, T., Behr, Y., & Wassermann, J. (2010). ObsPy: A Python Toolbox for Seismology. *Seismological Research Letters*, 81(3), 530–533. <https://doi.org/10.1785/gssrl.81.3.530>
- Brotherson, L. (2021). Simulating earthquakes with laboratory experiments. *Nature Reviews Earth & Environment*, 2(3), 164. <https://doi.org/10.1038/s43017-021-00151-1>
- Cai, C., Wiens, D. A., Shen, W., & Eimer, M. (2018). Water input into the Mariana subduction zone estimated from ocean-bottom seismic data. *Nature*, 563(7731), 389–392. <https://doi.org/10.1038/s41586-018-0655-4>
- Cloetingh, S., & Negendank, J. (Eds.). (2010). *New Frontiers in Integrated Solid Earth Sciences*. Dordrecht: Springer Netherlands. <https://doi.org/10.1007/978-90-481-2737-5>
- Foulger, G. R., Wilson, M., Gluyas, J., Julian, B. R., & Davies, R. (2018). Global review of human-induced earthquakes. *Earth-Science Reviews*, 178, 438–514.
- Grigoli, F., Cesca, S., Priolo, E., Rinaldi, A. P., Clinton, J. F., Stabile, T. A., et al. (2017). Current challenges in monitoring, discrimination, and management of induced seismicity related to underground industrial activities: A European perspective. *Reviews of Geophysics*, 55(2), 310–340.
- Hori, M., Ichimura, T., Wijerathne, L., Ohtani, H., Chen, J., Fujita, K., & Motoyama, H. (2018). Application of High Performance Computing to Earthquake Hazard and Disaster Estimation in Urban Area. *Frontiers in Built Environment*, 4, 1. <https://doi.org/10.3389/fbuil.2018.00001>
- Igel, H. (2017). *Computational seismology: a practical introduction* (First edition). Oxford, United Kingdom: Oxford University Press.
- Ishida, T., Labuz, J. F., Manthei, G., Meredith, P. G., Nasser, M. H. B., Shin, K., et al. (2017). ISRM suggested method for laboratory acoustic emission monitoring. *Rock Mechanics And Rock Engineering*, 50(3), 665–674.
- Jousset, P., Reinsch, T., Ryberg, T., Blanck, H., Clarke, A., Aghayev, R., et al. (2018). Dynamic strain determination using fibre-optic cables allows imaging of seismological and structural features. *Nature Communications*, 9(1), 2509. <https://doi.org/10.1038/s41467-018-04860-y>
- Karplus, M., & Schmandt, B. (2018). Preface to the Focus Section on Geophone Array Seismology. *Seismological Research Letters*, 89(5), 1597–1600. <https://doi.org/10.1785/0220180212>
- Lacassin, R., Devès, M., Hicks, S. P., Ampuero, J.-P., Bossu, R., Bruhat, L., et al. (2020). Rapid collaborative knowledge building via Twitter after significant geohazard events. *Geoscience Communication*, 3(1), 129–146. <https://doi.org/10.5194/gc-3-129-2020>
- Lee, W. H. K., Jennings, P., Kisslinger, C., & Kanamori, H. (Eds.). (2002). *International handbook of earthquake and engineering seismology Part A*. Amsterdam ; Boston: Academic Press.
- Lee, W. H. K., Igel, H., & Trifunac, M. D. (2009). Recent Advances in Rotational Seismology. *Seismological Research Letters*, 80(3), 479–490. <https://doi.org/10.1785/gssrl.80.3.479>
- Li, J., Yao, H., Wang, B., Yang, Y., Hu, X., et al. (2021). A real-time AI-assisted seismic monitoring system based on new nodal stations with 4G telemetry and its application in the Yangbi M6.4 aftershock monitoring in southwest China. *Earthquake Research Advances*, 100033. <https://doi.org/10.1016/j.eqrea.2021.100033>
- Li, L., Tan, J., Wood, D. A., Zhao, Z., Becker, D., Lyu, Q., et al. (2019). A review of the current

- status of induced seismicity monitoring for hydraulic fracturing in unconventional tight oil and gas reservoirs. *Fuel*, 242, 195–210. <https://doi.org/10.1016/j.fuel.2019.01.026>
- Li, L., Tan, J., Schwarz, B., Staněk, F., Poiata, N., Shi, P., et al. (2020). Recent advances and challenges of waveform-based seismic location methods at multiple scales. *Reviews of Geophysics*, 58(1), e2019RG000667. <https://doi.org/10.1029/2019RG000667>
- Lindsey, N. J., & Martin, E. R. (2021). Fiber-Optic Seismology. *Annual Review of Earth and Planetary Sciences*, 49(1), 309–336. <https://doi.org/10.1146/annurev-earth-072420-065213>
- Morra, G., Bozdog, E., Knepley, M., Räss, L., & Vesselinov, V. (2021). A Tectonic Shift in Analytics and Computing Is Coming. *Eos*, 102. <https://doi.org/10.1029/2021EO159258>
- Mousavi, S. M., Ellsworth, W. L., Zhu, W., Chuang, L. Y., & Beroza, G. C. (2020). Earthquake transformer—an attentive deep-learning model for simultaneous earthquake detection and phase picking. *Nature Communications*, 11(1), 3952. <https://doi.org/10.1038/s41467-020-17591-w>
- NASEM (National Academies of Sciences, Engineering, and Medicine). (2020). *A Vision for NSF Earth Sciences 2020-2030: Earth in Time*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/25761>
- Peng, Z., & Gomberg, J. (2010). An integrated perspective of the continuum between earthquakes and slow-slip phenomena. *Nature Geoscience*, 3(9), 599–607. <https://doi.org/10.1038/ngeo940>
- Perol, T., Gharbi, M., & Denolle, M. (2018). Convolutional neural network for earthquake detection and location. *Science Advances*, 4(2), e1700578. <https://doi.org/10.1126/sciadv.1700578>
- Raissi, M., Perdikaris, P., & Karniadakis, G. E. (2019). Physics-informed neural networks: A deep learning framework for solving forward and inverse problems involving nonlinear partial differential equations. *Journal of Computational Physics*, 378, 686–707. <https://doi.org/10.1016/j.jcp.2018.10.045>
- Ross, Z. E., Meier, M., Hauksson, E., & Heaton, T. H. (2018). Generalized Seismic Phase Detection with Deep Learning. *Bulletin of the Seismological Society of America*, 108(5A), 2894–2901. <https://doi.org/10.1785/0120180080>
- Rost, S., & Thomas, C. (2002). *Array Seismology: Methods and Applications*. *Reviews Of Geophysics*, 40(3), 2–1.
- Schultz, R., Skoumal, R. J., Brudzinski, M. R., Eaton, D., Baptie, B., & Ellsworth, W. (2020). Hydraulic Fracturing Induced Seismicity. *Reviews of Geophysics*, 58, e2019RG000695. <https://doi.org/10.1029/2019RG000695>
- Shearer, P. M. (2009). *Introduction to seismology* (2nd edition). Cambridge: Cambridge University Press.
- Stein, S., & Wysession, M. (2003). *An introduction to seismology, earthquakes, and earth structure*. Malden, MA: Blackwell Pub.
- Ulrich, T., Vater, S., Madden, E. H., Behrens, J., van Dinther, Y., van Zelst, I., et al. (2019). Coupled, Physics-Based Modeling Reveals Earthquake Displacements are Critical to the 2018 Palu, Sulawesi Tsunami. *Pure and Applied Geophysics*, 176(10), 4069–4109. <https://doi.org/10.1007/s00024-019-02290-5>
- Wang, Y., Zhu, L., Shi, F., Schubnel, A., Hilairet, N., Yu, T., et al. (2017). A laboratory nanoseismological study on deep-focus earthquake micromechanics. *Science Advances*, 3(7), e1601896. <https://doi.org/10.1126/sciadv.1601896>
- Wilkinson, M. D., Dumontier, M., Aalbersberg, I. J., Appleton, G., Axton, M., Baak, A., et al. (2016). The FAIR Guiding Principles for scientific data management and stewardship. *Scientific Data*, 3(1), 160018. <https://doi.org/10.1038/sdata.2016.18>
- Zhan, Z., Cantono, M., Kamalov, V., Mecozzi, A., Müller, R., Yin, S., & Castellanos, J. C. (2021). Optical polarization-based seismic and water wave sensing on transoceanic cables. *Science*, 371(6532), 931–936. <https://doi.org/10.1126/science.abe6648>
- Zhu, W., & Beroza, G. C. (2019). PhaseNet: A Deep-Neural-Network-Based Seismic Arrival Time Picking Method. *Geophysical Journal International*, 216(1), 261–273. <https://doi.org/10.1093/gji/ggy423>